


CURVED





Floating Curved Troffer

Designed to deliver an unprecedented uniformity and functionality, this floating curved troffer features a compact yet sturdy aluminum construction designed to blend into modern architectural spaces. Featuring a low profile form factor, it is ideal for buildings with a low plenum space and is suitable for all standard grid ceilings. The specification grade TR Series is available in 2x2, 2x4, 1x4 sizes and perfect for offices, schools, and healthcare applications, goes beyond what was previously possible with traditional LED luminaires.

Original & Innovative Design

Designed from the ground up in OKT, this curved luminaires carry the meticulous processes of research, design, and engineering that is inherent to all specification-grade fixtures from OKT Lighting. This domestic design process allows us to deliver top quality fixtures, ensuring high-grade componentry and support from a team that truly cares about the product we build.



Performance

The CURVED series provides quiet and smooth illumination for visual comfort while maximizing efficiency.

- 2'x2', 2'x4', 1'x4'
- DLC standard and DLC premium available
- 3500K, 4000K, and 5000K CCT adjustable
- Wattage adjustable
- Minimum 82 CRI
- Quickship in the USA



Sleek Profile

The CURVED troffer features a back-lit curved lens and distinct center detail. CCT and wattage adjustable function make the TR Series a diverse addition to the OKT LED product family.

2'x2', 2'x4', 1'x4': 1.74" Deep




No Delays When Power Fails!

This CURVED Troffer has emergency function option. The built-in LED Emergency Driver will immediately switches to the emergency mode, operating up to 120 minutes in event of power failure. When AC power is restored, the emergency driver will automatically returns to the charging mode.

Built-in LED Emergency Driver
Eliminate field installed charges

Indicator
Code-Required Testing





It works with most ceiling
types which will be your
go-to-choice for offices,
schools, hospital.





35W/30W/25W Adjustable —

DLC Standard 110lm/w, Up to 3900lm —

DLC Premium 125lm/w, Up to 4500lm —

3500K/4000K/5000K Adjustable —



50W/40W/30W Adjustable —


DLC Standard 110lm/w, Up to 5500lm —

DLC Premium 125lm/w, Up to 6500lm —

3500K/4000K/5000K Adjustable —



35W/30W/25W Adjustable —
DLC Standard 110lm/w, Up to 3900lm —
3500K/4000K/5000K Adjustable —



Evenly illuminated
back-lit curved
diffuse lens



Shenzhen Global HQ
Room G 10/F, Kechuang Building, Quanzhi Science
and Technology Innovation Park, Houting, Shajing,
Bao'an, Shenzhen, China.
+86-755-61157553

Houston North America HQ
2304 Reed Road, Suite 300D Houston,
Texas 77051
+1-832-493-4790

sales@oktlighting.com
www.oktlighting.com

@OKT Lighting. All right reserved. Product design
and development is an ongoing process by OKT
Lighting. We reserve the right to change
specifications. Contact OKT for the latest
product information or visit website for more.