

Cylinder



Pendant • Surface • Wall Mount

Designed for visual comfort and engineered for performance, the combinations are endless with CY series from OKT Lighting.







Cylinder Portfolio Design for success

OKT Lighting offers several collections of architectural cylinder that can add rhythm, beauty and creativity to the ceiling plane.

With their sexy aesthetics and uniform soft illumination, they allow you to enhance modern interiors, including offices, restaurants, hotels and high-end residential projects.



Cylinder, Pendants

These models blend timeless aesthetics and high-performance COB LED to create pleasant, uniformly illuminated indoor environments.

Engineered for superior visual comfort, they come in a variety of beam options, with a full range of trim and mounting options. Our collection of cylinders ensure a high level of lighting design flexibility in commercial and institutional applications.

Feature

- **Modular Design:** up to 100,000 unique combinations
- **COB LED Chip:** 80 + CRI and 90 + CRI option
- **Beam Angle :** 15°, 24°, 36°, 60°, 70°, 100° options
- **Architectural Form :** 4", 6" and 8" with multiple trim options
- **Wattage Options:** 90 ~ 105 lm/w
- **Dimming:** 0-10V (10% or 1% option) or TRIAC
- **Mounting :** pendant , surface or wall mount

Endless possibilities for designs throughout your spaces

Over 100,000 options, configurable in seconds

Whether you need pendants in a specific finish or surface mount in a certain trims, we have you covered. With our user-friendly ordering guide, you can try out every combination according to your space required.



A Winning Combination


White Exterior Finishes



Black Exterior Finishes







Add visual interest
while ensuring
uniformly illuminated

Engineered for beauty and performance

OKT's CY cylinders are a collection of visually attractive LED luminaires with high performance, value, modularity and elegance while delivering superior visual comfort and daylight-inspired illumination. Each details offer distinct advantages.



COB LED with a 80+ is standard. 90 CRI is also available



2700K, 3000K, 3500K and 4000K CCT options



TRIAC or 0-10V dimming. Dim to 10% is standard and 1% is optional.




Up to 5500lm, 90~105lm/w



Optics Challenge

The optics range has been expanded to 6 beam angle options. These beam spreads are interchangeable which can be easily swapped out in the field without tools, providing more flexibility in the design.





Mounting Option

Pendant



Cable Mount
4"

Cable Mount
6" / 8"

Rigid Pendant
Stem Mount
4" / 6" / 8"

Rigid Pendant
Stem Mount
4" / 6" / 8"
Tilt up to 30°



Cable Mount
4"

Cable Mount
6" / 8"

Rigid Pendant
Stem Mount
4" / 6" / 8"

Rigid Pendant
Stem Mount
4" / 6" / 8"
Tilt up to 30°

Ultimate Field Flexibility

OKT's cylinder form factor is now available in pendant, surface mount and wall mount configurations which offers a beautiful, decorative solution with beautifully anodized white, black finishes while delivering high performance.

Surface



4" / 6" / 8"



4"



6"



8"

Wall Mount




4" / 6" / 8"

A Solution For Exposed Open Ceiling

OKT's cylinder is specifically designed for use with surface mounted conduit and junction boxes on ceilings where recessed lighting is not possible. Perfect for lofts, offices, and open architectural spaces.

If standard 4" octagonal J-box is surface mounted, a Ø5.97" round x 2.38" deep canopy with conduit cutout is provided for mounting. Conduit cutout canopy has 4 key slots, one in each side, and can be configured to accommodate any ceiling layout using ½" or ¾" conduit. Conduit cutout canopy is provided white and black powder coat painted finish.

Conduit Cutout Deep Canopy For Surface Mount J-box





A delicate dance of high performance, value, modularity and elegance



Designed for use with
surface mounted conduit
and junction boxes on
ceilings



Cylinder, Surface Mounted

Available in a complementary surface mounted version, CY series allow designers to maintain aesthetic continuity throughout a space. It is the ideal choice for low ceilings and minimal ceiling spaces.

Ceiling Option

Surface Mounted To Recessed J-Box



4" / 6" / 8"

Surface Mounted Conduit Cutout To Surface J-Box



4"



6"



8"





Shenzhen Global HQ

Room G 10/F, Kechuang Building,
Quanzhi Science and Technology
Innovation Park, Houting, Shajing,
Bao'an, Shenzhen, China.
+86-755-61157553

Houston North America HQ

2304 Reed Road, Suite 300D,
Houston, Texas 77051
+1-832-493-4790

sales@oktlighting.com
www.oktlighting.com

@OKT Lighting. All right reserved. Product design and development is an ongoing process by OKT Lighting. We reserve the right to change specifications. Contact OKT for the latest product information or visit website for more.