








MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.

**BEFORE YOU BEGIN**









- Luminaires must be installed by a qualified electrician (Check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately Contractor is responsible for adequately fixture weight.

SHOCK HAZARD

May result in serious injury or death.
Turn power OFF at circuit breaker prior to installation or servicing.

**COMPONENT KEY****LED Perimeter Luminaire****1FT/2FT/3FT + 1 FT Telescoping Section (Optional)****Inside Corner(Optional)****Outside Corner(Optional)****HARDWARE BAG LIST**


TB3X5 Screw: 1FT Telescoping section, baffle plate and end caps to housing.
ST3.7x21 Screw: Mounting bracket, grid plate, baffle plate to dry ceiling.

2.3" Width Version(Flush Version)**Threaded Rod On Ceiling****3.8" Width Version (Flush Version)****Threaded Rod On Ceiling****CEILING TYPE****15/16" T-Grid****9/16" T-Grid****9/16" Slot Grid****Drywall Trimless****Drywall Trim****Drywall Trim**




MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.

HOW TO MOUNT THE LIGHT WITH THREADED ROD?



1 Tighten the nut onto the suspension rod (Supplied by others)

1






2




Start Of Runs

Middle Of Runs


End Of Runs




3





4



5





6





MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.







MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.

HOW TO INSTALL THE LUMINAIRE + 1FT TELESCOPING SECTION ON WALL?

Luminaire + 1FT Telescoping Section




1




2


L = The measured length of the luminaire that needs to be installed



3




4




5


L = The measured length of the luminaire that needs to be installed




6



7





8





MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.







MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.

HOW TO INSTALL THE INSIDE CORNER ON WALL?


INSIDE CORNER




1



2




3




If you need to locate the power input in the luminaire adjacent to the corner, perform steps 3 after the luminaires are installed.


4



5



6







MUST BE INSTALLED PRIOR TO DRYWALL/CEILING INSTALLATION. READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION.
DO NOT APPLY WEIGHT OR LOAD TO THE LUMINAIRE.

HOW TO INSTALL THE OUTSIDE CORNER ON WALL?


OUTSIDE CORNER




1




2




3



4



5



6

