


A modern interior space featuring a large, curved sofa with olive green and patterned cushions. In the foreground, there are two dark, circular coffee tables. The ceiling is a dark, grid-like structure with several large, glowing, circular Zeta Ring pendant lights and smaller spherical pendant lights. Large floor-to-ceiling windows in the background offer a view of a lush green forest. The overall atmosphere is sophisticated and contemporary.

DISTINCTIVE DESIGN LIGHT YOU ENJOY

OKT


ZETA RING






ZETA RING CENTERPIECE OF LIGHT

Designed for architectural projects that refuse to settle for the ordinary, the ZETA Ring family delivers both performance and presence. Whether in shopping malls, corporate offices, airports, gyms, hotel lobbies, or convention centers, it doesn't just light the space – it defines it. High output, striking design – the ZETA Ring is the centerpiece of any room.



BEYOND ILLUMINATION THE RING COLLECTION




Available in 2', 3', and 4' apertures, the ZETA Ring family offers both direct and direct/indirect distributions. All sizes feature a seamless diffuser lens for a clean, gapless look and superior visual comfort. Choose from pendant, surface, or wall mount – it fits any space or style.

- Available in 2', 3' and 4' apertures
- Direct or direct&indirect lighting distribution options
- Field Wattage selectable (50%/75%/100%)
- Field CCT adjustable from 3000K, 3500K, 4000K, 90+ CRI
- 0-10V dimming, dim to 1%
- White, black or custom finish
- Optional integral RGBW control, Emergency and Sensor

Performance of Circle at 3500K, 90CRI, 120lm/w


2ft Aperture	3ft Aperture	4ft Aperture
60W / 7200LM	94W / 11600LM	126W / 15000LM



Unleash Lighting Design!

ANY COLOR. ANY VISION. WE MAKE IT HAPPEN.

From classic neutrals to bold statements.
We tailor the finish to your project!



SEAMLESS

One-piece Diffuser Design
Clean, Sleek, Aesthetics




Precisely Controlled Light


DISTRIBUTIONS OPTIONS

Providing flexibility in how
a space is illuminated!


Direct




Indirect





Semi-direct




General-diffuse



Semi-indirect



OKT understands the lighting professional's need for versatility, so we make sure your toolbox is equipped.



Puts flexibility at your fingertips

SIMPLIFY YOUR SPEC EXPAND YOUR OPTIONS

Make your project more flexible,
simple, and less costly.

Location for Functions

- Wattage Selectable
- CCT Adjustable(Direct / Indirect)
- 5 Lighting Distributions Adjustable




Service-Friendly Driver Design

All drivers are built-in and can be easily
replaced, making maintenance and
servicing simple and hassle-free.





R G B W



SET THE VIBE LIGHT YOUR WAY

RGB color lamps bring customizable lighting, mood-setting effects, decorative appeal, energy efficiency, and wireless control – perfect for bars, shops, gyms, and clubs.





VERSATILE LINEAR LIGHTING CONSISTENT AESTHETIC

With 3 mounting options in one housing, OKT Lighting gives specifiers versatile linear solutions that pair seamlessly with our award-winning architectural platform – delivering a consistent, cohesive aesthetic across any project.

Mounting Options



Pendant
Separate 3 Anchor Points
Vertical Cables
Dry/grid Ceiling Compatible




Pendant
Central Canopy Convergence
Angled Cables
Dry/grid Ceiling Compatible



Surface
Dry Ceiling Compatible





PERFORMANCE

A Width
2.3inch [Quickship](#)

B MOUNTING
Pendant [Quickship](#)
Surface [Quickship](#)

C FINISH
White [Quickship](#)
Black [Quickship](#)
Custom Color RAL [Make to Order](#)

D LENS
One-piece Diffuser [Quickship](#)

E CCT
CCT Adjustable [Quickship](#)
(3000K/3500K/4000K)

F CRI
CRI>90 [Quickship](#)

G VOLTAGE
110V~277V [Quickship](#)

H DIMMING
0-10V Dim to 1% [Quickship](#)

M LIGHTING DISTRIBUTION
100% Down [Quickship](#)
70% Down & 30% Up [Quickship](#)
50% Down & 50% Up [Quickship](#)
30% Down & 70% Up [Quickship](#)
100% Up [Quickship](#)

I OUTPUT LM/FT
110 lm/w (Direct) [Quickship](#)
120lm/w(Direct & Indirect) [Quickship](#)

J APERTURE
2ft Diameter [Quickship](#)
3ft Diameter [Quickship](#)
4ft Diameter [Quickship](#)
5ft Diameter [Make to Order](#)
6ft Diameter [Make to Order](#)
8ft Diameter [Make to Order](#)
10ft Diameter [Make to Order](#)

K OPTIONAL FUNCTIONS
RGBW [Make to Order](#)
Emergency [Quickship](#)
Sensor [Quickship](#)