


Flush Mounted Panel

CCT & Wattage Adjustable Panels



The CCT adjustable and wattage selectable FS series led flat panel light provides a modern alternative to traditional fluorescent troffer, reaching up to 110lm/w. The unique internal driver and only 0.68" thickness allow you the ability to install the LED light just about anywhere, especially for the small and confined space, including surface mounted, recessed and suspended installations methods. It is available for 1-10V dimming with 5 years warranty.

It is highly efficient lighting solution, ideal for using in commercial applications, such as offices, hospital, retail environments and more.



Feature

2'x2', 2'x4', 1'x4'

Ultra thin surface design, 0.68" thickness

Internal driver

Wattage selectable, 110lm/w

CCT adjustable 3000K/3500K/4000K



PERFORMANCE

Model NO.	Dimension	Wattage Adjustable	Lumen Output			Efficacy	CCT Selectable
			High	Medium	Low		
FS22-DM-XXX	2'x2'	40W/30W/20W	4400lm	3300lm	2200lm	Up to 110lm/w	3000K/3500K/4000K
FS14-DM-XXX	1'x4'	40W/30W/20W	4400lm	3300lm	2200lm	Up to 110lm/w	3000K/3500K/4000K
FS24-DH-XXX	2'x4'	50W/40W/30W	5500lm	4400lm	3300lm	Up to 110lm/w	3000K/3500K/4000K

All efficacy is ±5% based on different CCT and wattage. Check the IES file to gain the accurate data.

©OKT Lighting. All right reserved. Product design and development is an ongoing process by OKT Lighting. We reserve the right to change specifications. Contact OKT for the latest product information or visit www.oktlighting.com for more.

