META SURFACE

A Discreet Architecturally-pleasing Aesthetic. 2'/3'/4' Linear Portfolio












The Perfect Light For All Purposes



Color Rendering Index

1300 lumen/foot

Our CCT adjustable solutions, and wattage adjustable to maximize light compatibility with internal driver designed.






Lumen Package

Length	High	Medium	Low
2'	1000lm/ft,10w/ft	-	-
3,	1300lm/ft,13w/ft	1000lm/ft,10w/ft	650lm/ft,6.5w/ft
4'	1000lm/ft,10w/ft	750lm/ft,7.5w/ft	500lm/ft,5w/ft

Unique Design

Meta Surface's eye-catching sloping silhouette end cap adds an elegant finishing touch.





A Step Forward In Ambient Interior Illumination

The Meta Surface's sleek profile is designed to blend into clean, minimalist architectural spaces featuring simple yet powerful lines.

It enables designers to mount the luminaire on walls and ceilings to enhance architectural styling or add a unique flair to the interior design of a space.

With three options built in-house, Meta Surface makes it easy to get the light where you need it with offering new opportunities to capture the beauty and benefits of true lighting.

Sleek Profile

1.59" Wide **5.33**" Height **23.64**"/35.43"/47.24" Lengths



Our Meta Surface delivers precise, textural, and comfortable linear lighting for a variety of applications, compatible for drop ceiling and dry ceiling.



Canopy Style







4.5" Round (Power Feed)



4.5" Round With **Emergency Driver** (Non Power Feed)



5.8" Round With Occupancy Sensor (Power Feed)



1.6" Square (Non Power Feed)



4.5" Square (Power Feed)




4.5" Square With **Emergency Driver** (Non Power Feed)



Dry Ceiling / Off Grid

"Various Hard Ceilings" (Mount to J-box)





*Please see the installation instruction for more details.


Drop Ceiling / On Grid

Suspending the luminaire in the T-grid. Compatible for various T-grid, including 9/16" Flat, 9/16" Slot, 15/16" Flat.












Surface Mount

It is attractive and easy to install with simple screws or threaded studs which pass through the housing to fasten the luminaire in place. Ideal for locations with low ceilings or where fire ratings prevent recessed luminaires.








Wall Mount

It is available in a surface reverted design, with a sleek low-profile sensibility optimal for architectural lighting applications without any wall mount bracket, allows for easy installation, ideal for corridors, stairwells, and more.





Meet the family

Mounting Options



Function





Input Voltage

110-277V AC 110-347V AC

CRI

90+

Length



Optics

Ultra-thin semi-transparent vertical optics, enveloped in a signature sloping silhouette where the frame meets the optics.

Finish Options



Custom Finish





American's architectural and commercial LED Lighting Enthusiast

Founded in 2008, OKT is known for quality commercial and architectural lighting in North America. We deliver better light you can see, experience and benefit from. At OKT Lighting, our teams are made up of dreamers and doers who are committed to making better lighting. We're not only focused on making solutions that last, but on redefining what's possible, from the lighting we engineer to the value we add.

WE ARE YOUR RELIABLE PARTNER

We are your logistics hub. Our network covers entire North America.

- Shipping within 48 hours
- Without Stock Risk
- No Tariff Worries
- Live Inventory Access
- 24/7 Online Service

- Local Assembly*
- Prompt RMA
- Local OEM
- Dropship

We are your marketing dept., visual marketing support is available.

- Data Sheet
- Sales Sheet
- Installation Sheet
- IES
- Revit Files

- HD Photos
- Video
- Sample Bags
- Professional Product Training